

Laucks ⁸² YEARS

Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063



Certificate

Chemistry, Microbiology and Technical Services

CLIENT: Alaskan Copper Works
P.O. Box 3546
Seattle, WA 98124
ATTN: Raphael Acholonu

LABORATORY NO. 9001253

DATE: Feb. 1, 1990

PO# M13230

REPORT ON: WATER

SAMPLE

IDENTIFICATION: Submitted 01/18/90 and identified as shown below:

1-11-3600-M13230

TESTS PERFORMED AND RESULTS:

	<u>Sample</u>
Specific Gravity at 25°C	1.003
Total Acidity, calculated as % HN03 (methyl orange end point)	0.90

	<u>parts per million (mg/L)</u>
Copper	1.0
Chromium	39.
Nickel	27.
Cadmium	<0.004
Lead	0.60
Zinc	30.



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0014793

Laucks^{82 years}

Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063



Certificate

Chemistry, Microbiology, and Technical Services

PAGE NO. 2

Alaskan Copper Works


LABORATORY NO. 9001253

Key

< indicates "less than"

Respectfully submitted,

Laucks Testing Laboratories, Inc.


J. M. Owens

JMO:emt



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0014794